

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade names: AZOWIPE™, AZO™ Wipette, AZOWIPE™ Blue, AZOWIPE™ Equipment, AZOWIPE™ Sterile, AZO™ Spray

Product Codes: 81103, 81104, AZ250W (&CE), AZ150W (&CE), SHW250W, 81110, 81123, 81148, 81160, 81138, 81120

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of Substance / Preparation: Disinfectant

1.3 Supplier's details

Company: Synergy Health (UK) Ltd
Address/Phone No.: 1 Western Avenue
 Matrix Park
 Chorley
 Lancashire
 PR7 7NB
 UK
 +44 (0) 1772 299900

Fax: +44 (0) 1772 299901

1.4 Emergency telephone number

+44 (0) 1772 299900

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Category 2, H225: Highly flammable liquid and vapour.
 Category 2, H319: Causes serious eye irritation.
 Category 3, H336: May cause drowsiness or dizziness.

2.1.2 Directive 67/548/EEC & Directive 1999/45/EC R11: Highly flammable.
 R37: Irritant
 R67: Vapours may cause drowsiness and dizziness.

2.2 Label elements

2.2.1 Label elements According to Regulation (EC) No. 1272/2008 (CLP)
 GHS Product Identifier Azowipes, Azospray

Hazard Pictogram(s)



Signal Word(s)

Danger

Hazard Statement(s)

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Precautionary Statement(s)

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

P233: Keep container tightly closed.

2.2.2 Label elements

According to Directive 67/548/EEC & Directive 1999/45/EC

Hazard Symbol



Risk Phrases

R11: Highly flammable.

R37: Irritant

R67: Vapours may cause drowsiness and dizziness.

Safety Phrases

S7 Keep container tightly closed.

S16: Keep away from sources of ignition - No smoking.

S51: Use only in well-ventilated areas.

2.3 Other hazards

Not classified as PBT or vPvB.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous Ingredient(s)	%W/W	CAS No.	EC No.	EC Classification (1272/2008)	EC Classification (67/548/EEC)
Propan-2-ol	70	67-63-0	200-661-7	Category 2, H225 Category 2, H225 Category 3, H336	F; R11 Xi; R36 R67

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye Contact: Rinse skin immediately with plenty of water for 15-20 minutes.

- Skin Contact:** Avoid prolonged skin contact. Wash with plenty of soap and water. If irritation develops and persists, get medical attention.
- Inhalation:** If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Ingestion:** If swallowed, rinse mouth with water (only if the person is conscious). Make victim drink plenty of water. Do not induce vomiting. Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Water spray, dry powder or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Vapour may create explosive atmosphere.
Hazardous decomposition product(s): Carbon monoxide, Carbon dioxide

5.3 Advice for fire-fighters

Special protective equipment and precautions for fire fighters:

Use self-contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

Cool affected area quickly with water.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Provide adequate ventilation to avoid build up of vapours. Keep away from heat and sources of ignition. Avoid contact with eyes. Do not breathe mist/vapours/spray.

6.2 Environmental precautions

Small spillages: No special measures are required.

Large spillages: Do not discharge waste and/or cleaning water via public sewer system. Avoid release to the environment.

6.3 Methods and materials for containment and cleaning up

Allow small spillages to evaporate provided there is adequate ventilation.

Contain and adsorb large spillages onto an inert, non flammable adsorbent carrier. Transfer to a container for disposal or recovery.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice for safe handling: Keep container closed when not in use. Avoid contact with skin and eyes. Do not breathe vapour/spray. Ensure adequate ventilation.

Hygiene Measures: Wash hands before breaks and after work. Do not eat, drink or smoke at the work place.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool place.
Keep away from heat and sources of ignition.
Keep away from oxidising agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 PNECs and DNELs

Propan-2-ol

DNEL	Oral	Inhalation	Dermal
Industry - Long Term – Systemic effects	No data	500 mg/m ³	88 mg/kg/day
Consumer - Long Term - Systemic effects	26 mg/kg/day	89 mg/m ³	319 mg/kg/day

	PNEC
Water	140.9 mg/l
Soil	28 mg/kg

8.2 Exposure controls

8.2.1 Appropriate engineering controls None assigned

8.2.2 Personal protection equipment

Skin protection (Hand protection/
Other)



Gloves. Wash hands before breaks and after work.

Respiratory protection



In case of inadequate ventilation wear respiratory protection.

8.2.3 Environmental Exposure Controls

Large spillages: Do not discharge waste and/or cleaning water via public sewer system. Avoid release to the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties	Propan-2-ol
Appearance	Liquid
Colour.	Colourless.
Odour	Alcohol-like.
Odour Threshold (ppm)	No data
pH (Value)	Neutral
Melting Point (°C)	ca. -89.5 °C
Boiling point/boiling range (°C):	ca. -82 °C
Flash Point (°C)	ca. 12 °C
Evaporation Rate	No data
Flammability (solid, gas)	May form explosive mixture with air particularly in enclosed spaces.
Upper/lower flammability or explosive limits	ca. 12 % (V) / ca. 2 % (V)
Density (g/ml)	0.785 – 0.875 g/cm ³
Solubility (Water)	Completely miscible with water.
Partition Coefficient (n-Octanol/water)	Log Kow 0.05 (OECD)
Auto Ignition Point (°C)	ca. 425 °C
Decomposition Temperature (°C)	No data
Viscosity (mPa. s)	No data
Explosive properties	Not explosive
Oxidising properties	No data
9.2 Other information	
No data	

10. STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable.
10.3 Possibility of hazardous reactions	Reacts violently with - Acids. Oxidizing agents.
10.4 Conditions to avoid	Heat.
10.5 Incompatible materials	Strong oxidising agents. Acids.
10.6 Hazardous decomposition product(s)	Carbon dioxide, Carbon monoxide

11. STABILITY AND REACTIVITY

11.1 Information on toxicological effects

11.1.2 Mixtures

Acute toxicity	LD50 5840mg/kg (rat)
Irritation	Skin. None known.

Corrosivity	Eyes. 13900 mg/kg (rabbit)
Sensitisation	None known.
Repeated dose toxicity	No data
Carcinogenicity	No evidence of carcinogenicity.
Mutagenicity	No evidence of genotoxicity.
Toxicity for reproduction	No evidence of genotoxicity.

12. ECOLOGICAL INFORMATION

12.1 Toxicity	Fish. 9640 mg/l
12.2 Persistence and degradability	No data
12.3 Bioaccumulative potential	None known
12.4 Mobility in soil	The product is predicted to have high mobility in soil. (Propan-2-ol)
12.5 Results of PBT and VPVB assessment	Not classified as PBT or vPvB.
12.6 Other adverse effects	None known

13. DISPOSAL CONSIDERATIONS


13.1 Waste treatment methods	Disposal should be in accordance with local, state or national legislation.
-------------------------------------	---

14. TRANSPORT INFORMATION

Transport hazard class(es).

LQ (limited Quantities) refers to small receptacles (typically of the sort that go into the retail distribution chain) which are packed in boxes or on shrink-wrapped trays. The principle behind LQ is that an acceptable level of safety is assured providing the receptacles are in a box or shrink-wrapped tray. Subject to those conditions being met, no other requirements of ADR apply. The containers used for this material do not exceed maximum volume (1 litre) for such limited quantities.

14.1 UN Number	3175
14.2 Shipping Name	Solids containing flammable liquid, n.o.s.
14.3 Hazard Class for Transportation	Class 4.1
14.4 Packing Group	II
14.5 Environmental hazard	Refer to section 12
14.6 Special precautions	Retain within shipper. Refer to section 7.2
14.7 Bulk Transport	In compliance to ADR, Jan 2013 there are requirements to mark certain transport units when carrying more than 8 tonnes of LQ packages; refer to symbol below.



15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or Restrictions On Use 92/85/EEC. 1907/2006/ec

15.1.2 National regulations Observe Local Regulations.

15.2 Chemical Safety Assessment No data

16. OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Risk Phrases and Safety Phrases

R11: Highly flammable.
R37: Irritating to respiratory system.
R67: Vapours may cause drowsiness and dizziness.
S7: Keep container tightly closed.
S16: Keep away from sources of ignition - No smoking.
S51: Use only in well-ventilated areas.

Hazard Statement(s) and Precautionary Statement(s)

H225: Highly flammable liquid and vapour.
H319: Causes serious eye irritation.
H336: May cause drowsiness or dizziness.
P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P233: Keep container tightly closed.

Additional Information

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Synergy Health gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Synergy Health accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.